

KP30 - Super Gel Knee Pad

Collection: Kneepads

Range: Knee Pads

Materials: PVC Shell, Nylon, EVA Foam, Neoprene

Outer Carton: 24

Product information

A strong outer shell protects your knee from sharp objects while an inner silicone gel cushion acts as a shock absorber for your joints. The outer shell also features a traction based design to allow the user to move with confidence on their knees while working. Elasticated high quality straps focus on holding the knee pad in place while not being overly restrictive.

Kneepads

Portwest knee pads offer a range of knee protection to suit every situation, type 1 (strap on knee pads), type 2 (insert knee pads) and type 3 (kneeling pads). All Portwest knee pads use premium high density material to give the user the best protection possible for their knees no matter the hazard. Diverse materials such as EVA foam, neoprene rubber and silicone gel inserts are used to ensure maximum wearer comfort. Ergonomics is a key feature in our knee pads design and is backed up in the positive feedback we receive from our wearer trials.

Knee Pads

Knee Protection Range

Standards

EN 14404: 2004 + A1: 2010 Type 1 Level 0



Features

- Ergonomically designed and tested straps ensure no pinching to the back of the wearers leg
- A strong and durable outer shell makes for a long lasting tough knee pad
- Silicone gel inserts protect joints and ensure great wearer comfort
- Retail box which aids presentation for retail sales
- CE certified
- UKCA marked
- 22cm x 19cm x 2cm
- This product is sold in pairs

KP30 - Super Gel Knee Pad
Commodity Code: 3926200000

Test House

SATRA Technology Europe Ltd (Notified Body No.: NB: 2777)
Bracetown Business Park
D15 YN2P, Ireland
Cert No: 2777/12435-01/E00-00

SATRA Technology Centre Ltd (Notified Body No.: AB: 0321)
SATRA Technology Park
NN16 8SD, United Kingdom
Cert No: AB0321/16528-01/E00-00

Carton Dimensions/Weight

Item	Colour	Len	Wid	Hgt	Weight(Kg)	Cubic(m ³)	EAN13	DUN14
KP30BKR	Black	62.0	38.0	54.0	0.4760	0.1272	5036108163700	15036108634528